



PB33 - Silverlink 600 Electric Counter-top Pasta Cooker - Single Tank - W 300 mm - 3.0 kW

Not only does the Silverlink 600 Electric Pasta Boiler deliver perfect pasta every time, it also has the versatility to be used as a steamer and Bain Marie, too.

- ✓ Delivering perfect pasta, time after time
- ✓ Front mounted controls ensure safe working practice
- ✓ Hinging element with safety cut-out provides easy access to tank for cleaning
- ✓ Thermostatic control maintains accurate water temperature
- ✓ Enhanced resistance to punishing salt and starch corrosion with high quality grade 304 stainless steel tanks, basket support plates, and corrosion-resistant elements
- ✓ Front drain taps with straight drain pipes for fast, easy drainage of water - and no blockages
- ✓ Lid to reduce heat up time and also cover tanks when not in use

Specifications




Summary		Power and Performance	
Range Name	Silverlink 600	Total Power kW	3.0
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN Code	5056105100164		
Key Specifications		Weights and Dimensions	
Capacity Litres	11.0	Unit Height (External) mm	330
Number of Baskets	0	Unit Width (External) mm	300
Number of Tanks	1	Unit Depth (External) mm	600
		Net Weight Kg	12.5
Supply Connections		Shipping	
Requires Installation	No	Packed Weight Kg	14.9
Requires Electrical Supply	Yes	Packed Height cm	49.5
UK 3 Pin Plug	Yes	Packed Width cm	70
Requires Hardwiring	No	Packed Depth cm	40
Electrical Supply Rating Watts	3,000		
Single Phase Amps	13.0		
Single Phase Voltage	230		

Available Accessories

BA112	BASKET PASTA
BA114	BASKET 1/2 PASTA
BA115	BASKET R/H 1/4 PASTA
BA116	BASKET L/H 1/4 PASTA
CC3	Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW

Available Accessories**SLS3**

Silverlink 600 Free-standing Floor Stand - for units W 300 mm

Technical Picture

Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of

**Customer Care**

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm